

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
29 March 2001 (29.03.2001)

PCT

(10) International Publication Number  
**WO 01/21719 A1**

(51) International Patent Classification<sup>7</sup>: C09D 9/00, 9/04

(21) International Application Number: PCT/US00/24987

(22) International Filing Date:  
11 September 2000 (11.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/155,330 22 September 1999 (22.09.1999) US  
09/643,141 22 August 2000 (22.08.2000) US

(71) Applicant: COGNIS CORPORATION [US/US]; 2500  
Renaissance Boulevard, Suite 200, Gulph Mills, PA 19406  
(US).

(72) Inventors: GROSS, Stephen, F.; 152 Chester Court,  
Souderton, PA 18964 (US). BARABASH, Martin,  
J.; One Sawgrass Court, Jamesburg, NJ 08831 (US).  
HESSEL, J., Frederick; 2097 Country Club Drive,  
Doylestown, PA 18901 (US).

(74) Agent: TRZASKA, Steven, J.; Cognis Corporation, 2500  
Renaissance Boulevard, Suite 200, Gulph Mills, PA 19406  
(US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments.

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

*Applicant's work*

WO 01/21719 A1

(54) Title: GRAFFITI REMOVER, PAINT STRIPPER, DEGREASER

(57) Abstract: A terpene-free cleaning composition containing: (a) an oil-soluble anionic surfactant; (b) a water-soluble anionic surfactant; (c) a primary solvent consisting of a C<sub>1-4</sub> alkyl ester; (d) a short-chain cosurfactant; and (e) water.

## GRAFFITI REMOVER, PAINT STRIPPER, DEGREASER

### BACKGROUND OF THE INVENTION:

The present invention generally relates to a cleaning composition.

- 5 More particularly, the invention relates to a novel cleaning formulation having superior cleaning ability which is readily biodegradable, low in toxicity and volatility, neutral in pH and primarily naturally derived.

General purpose household cleaning compositions for hard surfaces such as metal, glass, ceramic, plastic and linoleum surfaces are commercially  
10 available in both powdered and liquid form. Powdered cleaning compositions consist mainly of builder or buffering salts such as phosphates, carbonates, and silicates and although such composition may display good inorganic soil removal, they exhibit inferior cleaning performance on organic soils such as greasy/fatty/oily soils.

- 15 Liquid cleaning compositions, on the other hand, have the great advantage that they can be applied onto hard surfaces in a neat or concentrated form so that a relatively high level of surfactant material is delivered directly to the soil. Moreover, it is a rather more straightforward task to incorporate high concentrations of anionic or nonionic surfactant in a liquid  
20 rather than a granular composition. For both of these reasons, therefore, liquid cleaning compositions have the potential to provide superior grease and oily soil removal over powdered cleaning compositions.

Nevertheless, liquid cleaning compositions suffer a number of drawbacks which can limit their consumer acceptability. They generally contain little or no detergency builder salts and consequently they tend to have poor cleaning performance on particulate soil and also lack effectiveness under varying water hardness levels. In addition, they can suffer problems relating to homogeneity, clarity, and viscosity when used by consumers. Moreover, the higher in-use surfactant concentration necessary for improved grease and soil removal causes further problems relating to extensive suds formation which requires frequent rinsing and wiping on the part of the consumer.

One solution to the above-identified problems has involved the use of saturated and unsaturated terpenes, in combination with a polar solvent, in order to increase the cleaning effectiveness of the hard surface cleaner and control sudsing. A problem associated with the use of terpenes such as, for example, d-limonene, is that their price, as a raw material, tends to fluctuate wildly. Consequently, the cost to manufacture hard surface liquid cleaners containing terpene solvents is financially disadvantageous to both producers and consumers.

Other solvents which are often employed in hard surface cleaning compositions, instead of terpenes, include those derived from aliphatic, aromatic and halogenated hydrocarbons. Their use, however, is undesirable for environmental reasons due to their limited biodegradation.

Consequently, it would be highly desirable to employ a solvent which is both readily biodegradable and is not subject to any significant fluctuations in pricing for the raw material.

5

# **BRIEF SUMMARY OF THE INVENTION:**

The present invention is directed to a terpene-free cleaning composition containing:

(a) a C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid;

and

10 (b) a cyclic ketone, wherein (a) and (b) are employed at a ratio by weight of from about 10:1 to about 1:10.

The present invention is also directed to a terpene-free cleaning composition containing:

15 (a) from about 2 to about 12% by weight of an oil-soluble anionic surfactant;

(b) from about 0.2 to about 6% by weight of a water-soluble anionic surfactant;

(c) from about 3 to about 96% by weight of a primary solvent consisting of a C<sub>6</sub>-C<sub>14</sub> methyl ester;

20 (d) from about 2 to about 14% by weight of a short-chain cosurfactant; and

(e) remainder, water, all weights being based on the total weight of the composition.

The present invention is also directed to a process for cleaning a substrate involving contacting the substrate with a cleaning-effective amount of either of the above-disclosed terpene-free cleaning compositions.

5       **BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING:**  
NOT APPLICABLE.

**DETAILED DESCRIPTION OF THE INVENTION:**

Other than in the operating examples, or where otherwise indicated, all  
10    numbers expressing quantities of ingredients or reaction conditions used  
herein are to be understood as being modified in all instances by the term  
"about".

The removal of undesirable aged paints, coatings, greases, and the  
like from various substrates is accomplished by two mechanisms, namely,  
15    dissolution and lifting. Dissolution is when the undesirable material is  
dissolved from the substrate by a solvent. Lifting is when the solvent  
penetrates into the undesirable material and causes it to swell. As a result of  
the swelling the material, whether it be a paint, coating or the like, wrinkles  
and lifts (separates) from the substrate, allowing it to then be easily removed  
20    from the substrate's surface.

It has surprisingly been discovered that a highly effective cleaning  
composition, free of terpenes, which possesses both the dissolution and lifting  
mechanisms, can be formulated by combining a C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub>

saturated or unsaturated carboxylic acid, acting as a primary solvent to facilitate dissolution, with a cyclic ketone which provides the lifting mechanism.

The primary solvent used in the present invention is a C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid. The use of an alkyl ester as a solvent in cleaning compositions is significantly more desirable than conventional solvents, such as terpenes and hydrocarbon derivatives, for both environmental and economic reasons.

A particularly preferred C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid for use in the present invention is a methyl ester corresponding to formula I:



wherein R<sub>1</sub> is an alkyl radical having from about 6 to about 14 carbon atoms. They are derived by the esterification of a fatty acid with methanol. Preferred methyl esters are those derived from the esterification of unsaturated fatty acids having from about 8 to about 10 carbon atoms. Suitable fatty acids from which the fatty acid esters may be derived include, but are not limited to, coconut and other vegetable oils, tallow, etc.

Suitable cyclic ketones for use in the cleaning composition of the present invention include, but are not limited to, cyclopentanone, cyclohexanone, cycloheptanone, and the like. A particularly preferred cyclic ketone is cyclohexanone.

According to one embodiment of the present invention, there is thus provided a terpene-free cleaning composition containing: (a) a  $C_{1-4}$  alkyl ester of a  $C_{6-22}$  saturated or unsaturated carboxylic acid, preferably a  $C_{6-14}$  methyl ester; and (b) a cyclic ketone, preferably a cyclohexanone, wherein (a) and  
5 (b) are employed at a ratio by weight of from about 10:1 to about 1:10, and preferably about 2:1.

The above-disclosed composition can be applied onto any type of substrate having an undesirable paint, coating or other material thereon, in order to dissolve and/or lift it therefrom.

10 According to another aspect of the present invention, there is provided a terpene-free cleaning composition having improved high and low temperature stability which may also be easily rinsed from a cleaned surface. These properties are imparted to the composition through the use of oil-soluble and/or water-soluble anionic surfactants.

15 Suitable oil-soluble anionic surfactants which may be employed in the present invention include, but are not limited to, amine salts of dodecylbenzenesulfonic acid, calcium salts of dodecylbenzenesulfonic acid, and phosphate esters. A particularly preferred oil-soluble anionic surfactant is the isopropylamine salt of dodecylbenzenesulfonic acid.

20 Suitable water-soluble anionic surfactants which may be employed in the present invention include, but are not limited to, water-soluble salts of alkyl benzene sulfonates, alkyl sulfates, alkyl polyethoxy ether sulfates, paraffin sulfonates, alpha-olefin sulfonates and sulfosuccinates, alpha-

sufocarboxylates and their esters, alkyl glyceryl ether sulfonates, fatty acid monoglyceride sulfates and sulfonates, and alkyl phenol polyethoxyether sulfates.

Other suitable water-soluble anionic surfactants include the water-soluble salts or esters of alpha-sulfonated fatty acids containing from about 6 to about 20 carbon atoms in the fatty acid group and from about 1 to about 10 carbon atoms in the ester group.

Particularly preferred anionic surfactants for use in the present invention include the isopropylamine salt of a C<sub>10-14</sub> alkyl benzene sulfonic acid, and/or a C<sub>8-14</sub> fatty alcohol sulfate.

In the event that an anionic surfactant is employed, it will typically be present in the composition in an amount of from about 0.1 to about 15% by weight, preferably from about 3 to about 12% by weight, and most preferably from about 5 to about 10% by weight, based on the weight of the composition.

Another consideration that needs to be taken into account when formulating a terpene-free cleaning composition in accordance with the present invention relates to the cost of each individual component. In order to reduce costs, it is advisable to introduce a certain amount of water into the composition, thereby reducing the amount of actives needed to formulate the cleaning composition.

However, in order to maintain a high level of cleaning capability in the water containing version of the cleaning composition, it is advisable that a co-



surfactant, preferably a short-chain co-surfactant, also be employed in the composition.

Suitable short-chain co-surfactants for use in the present invention include, but are not limited to, C<sub>3</sub>-C<sub>6</sub> alcohols, glycols, glycol ethers, pyrrolidones and glycol ether esters. A particularly preferred short-chain cosurfactant is propylene glycol n-butyl ether.

Thus, according to another embodiment of the present invention, there is provided a terpene-free cleaning composition containing: (a) from about 2 to about 12% by weight, preferably from about 4 to about 10% by weight, and most preferably from about 6 to about 8% by weight, of an oil-soluble anionic surfactant, (b) from about 0.2 to about 6% by weight, preferably from about 0.5 to about 3% by weight, and most preferably from about 1 to about 2% by weight, of a water-soluble anionic surfactant, (c) from about 3 to about 96% by weight, preferably from about 25 to about 65% by weight, and most preferably from about 40 to about 50% by weight, of a C<sub>8</sub>-C<sub>14</sub> methyl ester solvent, (d) from about 2 to about 14% by weight, preferably from about 5 to about 12% by weight, and most preferably from about 8 to about 10% by weight, of a short-chain cosurfactant, and (e) remainder, water, all weights being based on the total weight of the composition.

The advantage of employing a cyclic ketone in the cleaning composition of the present invention is that it facilitates the removal of paints and coatings having a polymeric matrix such as, for example, polyurethane, epoxy, and alkyd enamels. Therefore, in those instance where the removal of

polymeric coating compositions is desired, a cyclic ketone should be incorporated into the composition in an amount of from about 1 to about 35% by weight, preferably from about 5 to about 25% by weight, and most preferably from about 10 to about 20% by weight, based on the weight of the composition.

Since methyl esters are subject to hydrolysis under alkaline conditions, it is imperative that the pH of the hard-surface cleaning composition be less than about 9, and preferably in the range of from about 6 to about 9.

The terpene-free cleaning composition of the present invention may be employed as either a neat solution or a microemulsion. Its use as a microemulsion, however, affords it the greatest degree of cost/performance. In this form it is an oil continuous microemulsion characterized by a high level of thermal stability, ranging from about 10 to about 70°C. However, in order to achieve this level of thermal stability, the methyl ester component and water should be present in the composition in a ratio by weight of from about 50:1 to about 1:4, preferably from about 5:1 to about 1:2, and most preferably about 1.5:1.

Auxiliaries may be incorporated into the cleaning composition of the present invention without departing from the spirit thereof. Examples of suitable auxiliaries which may be used include, but are not limited to, nonionic surfactants, amphoteric surfactants, zwitterionic surfactants, pH buffering agents, corrosion inhibitors, dyes, perfumes, enzymes, preservatives, thickeners, hydrotropes, and the like.

According to another embodiment of the present invention, there is provided a process for cleaning a hard surface involving contacting the hard surface with the above-disclosed composition.

The cleaning compositions according to the invention can be used in a wide variety of applications which include, but are not limited to, the removal of grease, oil, ink, chewing gum and paint from hard and porous surfaces including all kinds of natural and synthetic fabrics in both industrial-institutional and consumer applications. Examples of the disparate types of applications include, but are not limited to, the use of the cleaning compositions according to the invention as water rinsable paint brush cleaners for brushes having both natural and synthetic bristles. Another use is as a cleaner for human skin and nails such as hand and finger nail cleaner for the removal of paints, greases, glues, nail polish and the like. The cleaning compositions according to the invention can also be used as a spot cleaner for removing grease, oil and paints from carpets and rugs and as a prespotter in laundry applications for the removal of stains from fabrics. Other applications include the removal of grease such as lithium and molybdenum greases from steel and concrete surfaces such as, for example, wheel bearings or garage floors having grease and oil stained tire tracks and the like. The cleaning compositions according to the invention can also be used to clean the concrete and metal surfaces of off-shore oil drilling platforms.

The cleaning compositions according to the invention can also contain an effective amount of odor masking agents such as natural products, for

example, essential oils; aroma chemicals; perfumes and the like. Examples of natural products include, but are not limited to, ambergris, benzoin, castoreum, civet, clove oil, galbanum, jasmine, rosemary oil, sandalwood, and the like. Examples of aroma chemicals include, but are not limited to, isoamyl acetate (banana); isobutyl propionate (rum); methyl anthranilate (grape); benzyl acetate (peach); methyl butyrate (apple); ethyl butyrate (pineapple); octyl acetate (orange); n-propyl acetate (pear); ethyl phenyl acetate (honey). The cleaning compositions according to the invention can contain any combination of the above types of compounds. An effective amount of such odor masking agents in the cleaning compositions according to the invention is any amount necessary to produce an odor masking effect or reduce an unwanted odor to an acceptable level. Such an amount will be readily determinable by those skilled in the art. The amount of odor masking agent will typically vary from about 0.25% to about 2.50% by weight of the cleaning composition with the preferred amount being from about 0.4% to about 1.0%.

The cleaning compositions according to the invention can be packaged in a variety of containers such as steel, tin, and aluminum cans and plastic and glass bottles. The cleaning compositions can be applied by a variety of application means which include, but are not limited to, spraying such as in aerosol form or other spraying means such as by standard spray nozzles when used to remove dirt and grime from trucks and railroad cars; brush application; dipping; coating; application in gel form such as from a squeeze

bottle or brush. The cleaning compositions according to the invention can be formulated in gel form by the addition of an effective amount of a gelling agent such as fumed silica, organic gums, polymers, copolymers, paraffin wax, bentonite clay, and cellulose ethers such as methyl cellulose and  
5 hydroxypropyl methyl cellulose commercially available as METHOCEL® cellulose ethers, trademark products of Dow Chemical.

An in-can corrosion problem can arise when the cleaning compositions according to the invention are packaged in cans. Cans, and particularly aerosol cans, are generally made from steel and are, therefore, susceptible to  
10 corrosion by products containing water. Products containing water, such as the composition according to the invention, require the addition of a corrosion inhibitor to prevent corrosion of the can and contamination of the formulation in the can. When the formulation according to the invention is in the form of a microemulsion, the microemulsion is susceptible to destabilization by the  
15 addition of ions to the formulation. It is therefore necessary to use a corrosion inhibitor that will not contribute to the destabilization of the microemulsion. Corrosion inhibitors that are compatible with the microemulsion composition according to the invention must be selected such that they do not contribute an amount of ions to the formulation that will destabilize the microemulsion.  
20 Preferably the inhibitor will be a molecule that has both an oil soluble portion and a water soluble portion. It has been found that an amphoteric surfactant containing an amine functionality in an amount of from about 0.05% to about 2% by weight, and preferably from about 0.25 % to about 1.0%, acts as a

- corrosion inhibitor when combined with the microemulsion composition according to the invention, does not break the microemulsion and is effective in prevention of corrosion. Examples of suitable corrosion inhibitors include the DERIPHAT® amphoteric surfactants, particularly advantageous is
- 5 DERIPHAT® 151-C, available from Henkel Corporation, Ambler PA. Other corrosion inhibitors that can be used with the composition according to the invention include, but are not limited to, amine soaps of fatty acids and fatty alkanolamides such as the C<sub>8</sub> to C<sub>18</sub> fatty alkanolamides, examples of which include STANDAMID® alkanolamides, available from Henkel Corporation.
- 10 Such corrosion inhibitors can also be used for post-application anti-corrosion effects on surfaces that will rust or corrode because of the presence of water in the cleaning compositions according to the invention such as on metal surfaces such as iron and steel and the like. The amount of the corrosion inhibitors required for post-application purposes is any amount effective to
- 15 inhibit or prevent corrosion of a metal surface onto which the cleaning compositions according to the invention are applied.

- It should be noted that additional auxiliaries may also be incorporated into the hard surface cleaning composition of the present invention without departing from the spirit of the invention. Examples of suitable auxiliaries
- 20 which may be used include, but are not limited to, amphoteric surfactants, zwitterionic surfactants, pH buffering agents, dyes, perfumes, enzymes, preservatives, thickeners, hydrotropes, corrosion inhibitors and the like.

A particularly preferred auxiliary component for use in the present invention is a thickening agent used for thickening the composition.

Employing a thickening agent in the composition enables the composition to be applied onto vertical surfaces without any attendant dripping or run-off  
5 therefrom, and also inhibits dissipation of the composition into porous substrates such as brick or concrete. While any suitable thickening agent may be employed including, but not limited to, stearates and organoclay compounds, a particularly preferred thickening agent is tetraalkyl ammonium bentonite due to its stability over a broad temperature range. The thickening  
10 agent will typically be used in an amount of from about 0.1 to about 12% by weight, preferably from about 1 to about 8% by weight, and most preferably from about 2 to about 4% by weight, based on the weight of the composition.

In some cases it is desirable to package the cleaning compositions, according to the invention, in cans, such as aerosol cans to facilitate  
15 application of the cleaning compositions in the field. Cans, and particularly aerosol cans, are generally made from steel, so are susceptible to corrosion by products containing water. Products containing water, such as the composition according to the invention, require the addition of a corrosion inhibitor to prevent corrosion of the can and contamination of the formulation  
20 in the can. When the formulation according to the invention is in the form of a microemulsion, the microemulsion is susceptible to destabilization by the addition of ions to the formulation. It is therefore necessary to use a corrosion inhibitor that will not contribute to the destabilization of the microemulsion.

Corrosion inhibitors that are compatible with the microemulsion composition according to the invention must be selected such that they do not contribute an amount of ions to the formulation that will destabilize the microemulsion. Preferably the inhibitor will be a molecule that has both an oil soluble portion and a water soluble portion. It has been found that an amphoteric surfactant containing an amine functionality in an amount of from about 0.05% to about 2% by weight, and preferably from about 0.25% to about 1.0%, acts as a corrosion inhibitor when combined with the microemulsion composition according to the invention, does not break the microemulsion and is effective in prevention of corrosion. Examples of suitable corrosion inhibitors include the DERIPHAT® amphoteric surfactants, particularly advantageous is DERIPHAT® 151-C, available from Henkel Corporation, Ambler PA. Other corrosion inhibitors that can be used with the composition according to the invention include, but are not limited to, amine soaps of fatty acids and fatty alkanolamides such as the C<sub>8</sub> to C<sub>18</sub> fatty alkanolamides, examples of which include STANDAMID® alkanolamides, available from Henkel Corporation.

As set forth above, the precise amount of alkyl ester solvent in general, and methyl ester solvent, in particular, present in the composition depends on the type of cleaning to be performed. Hence, if a hard surface is to be completely stripped of any and all coatings thereon, the amount of methyl ester solvent present in the composition will range from about 50 to about 95% by weight, based on the weight of the composition. Similarly, if an undesirable substance, such as graffiti, is to be removed from a coated hard



surface without damaging the underlying coating, the amount of methyl ester solvent present in the composition will range from about 15 to about 50% by weight, based on the weight of the composition.

However, another variable associated therewith is the dwell-time of the composition. Thus, if a hard surface is to be completely stripped of any coating substances, as is the case in paint stripping, the dwell-time of the composition on the hard surface will range from about 20 to about 45 minutes.

On the other hand, if an undesirable substance, such as graffiti, is to be removed from a coated hard surface without damaging the underlying coating, the dwell time of the composition on the hard surface will range from about 2 to about 20 minutes.

The present invention will be better understood by the examples which follow, all of which are intended for illustrative purposes only, and are not meant to unduly limit the scope of the invention in any way. Unless otherwise indicated, percentages are on a weight-by-weight basis.

### EXAMPLES

A terpene-free cleaning composition was prepared in accordance with the present invention. Its formulation is found in Table 1, below.

Table 1

Component	%wt.
C8-C10 methyl ester	46.5
isopropylamine salt of LAS acid	7.1
propylene glycol n-butyl ether	9.0
C12-C14 sodium FAS (29%)	5.3
Water	32.1

- 5            The physical characteristics of the above-disclosed composition are found in Table 2, below.

Table 2

Characteristic	Value
pH (as is)	6.0-8.5
%solids (1 hour, vacuum oven)	8.3-9.8
Specific Gravity, 25°C	0.91-0.95
Cloud Point, lower	50°F max
Cloud Point, upper	160°F min
Appearance, 1 cm test tube	clear liquid

The formulation described in Table 1 was found to be effective in removing graffiti (acrylic spray paint) from a variety of non-porous substrates. A particular advantage of the formulation described in Table 1 is that it can be used to remove cured acrylic spray paint (graffiti) which has been applied over polyurethane paint, without damaging the underlying polyurethane paint. Most conventional graffiti removers will not only remove the undesired graffiti, but also remove or damage the desired underlying paint, resulting in the additional expense of repainting the substrate.

The formulation described in Table 1 also has the following advantages over conventional graffiti removers:

1. Low toxicity
2. Readily biodegradable
3. Primarily naturally derived
4. Low volatility

A second terpene-free cleaning composition was prepared in accordance with the present invention. Its formulation is found in Table 3, below.

Table 3

Component	% wt
C <sub>8-10</sub> methyl ester	30.8
cyclohexanone	15.2
isopropylamine salt of LAS acid	8.4
propylene glycol n-butyl ether	9.3
sodium lauryl sulfate (29%)	4.0
sodium octyl sulfate (40%)	1.3
water	31.0

The physical characteristics of the above-disclosed composition are found in Table 4, below.

5 Table 4

Characteristic	Value
pH (as is)	6.3
%solids (1 hour, vacuum oven)	9.36
Specific Gravity, 25°C	0.942
Cloud point, lower	46°F max
Cloud point, upper	128°F min
Appearance, 1 cm test tube, 25°C	clear liquid

## WHAT IS CLAIMED IS:

1. A terpene-free cleaning composition comprising:
  - (a) a C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid;
  - and
  - (b) a cyclic ketone, wherein (a) and (b) are employed at a ratio by weight of from about 10:1 to about 1:10.
2. The composition of claim 1 wherein the C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid is a C<sub>6-14</sub> methyl ester.
3. The composition of claim 1 wherein the C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid is a C<sub>8-10</sub> methyl ester.
4. The composition of claim 1 wherein the cyclic ketone is cyclohexanone.
5. The composition of claim 1 wherein (a) and (b) are employed at a ratio by weight of about 2:1.
6. A process for removing a coating from a substrate comprising contacting the coating with the composition of claim 1.
7. The process of claim 7 wherein the coating has a polymer matrix.
8. A terpene-free cleaning composition comprising:
  - (a) from about 2 to about 12% by weight of an oil-soluble anionic surfactant;
  - (b) from about 0.2 to about 6% by weight of a water-soluble anionic surfactant;

(c) from about 3 to about 96% by weight of a primary solvent consisting of a C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid;

(d) from about 2 to about 14% by weight of a short-chain cosurfactant;  
and

(e) remainder, water, all weights being based on the total weight of the composition.

9. The composition of claim 8 wherein the oil-soluble anionic surfactant is selected from the group consisting of amine salts of dodecylbenzenesulfonic acid, calcium salts of dodecylbenzenesulfonic acid, phosphate esters and mixtures thereof.

10. The composition of claim 8 wherein the oil-soluble anionic surfactant is the isopropylamine salt of dodecylbenzenesulfonic acid.

11. The composition of claim 8 wherein the oil-soluble anionic surfactant is present in the composition in an amount of from about 6 to about 8% by weight, based on the weight of the composition.

12. The composition of claim 8 wherein the water-soluble anionic surfactant is selected from the group consisting of alkali metal salts of fatty acids, organic base salts of fatty acids, alkyl sulfates, alkyl ether sulfates, alkyl aromatic sulfonates, alkyl sulfonates, alpha olefin sulfonates, sulfosuccinates, and mixtures thereof.

13. The composition of claim 8 wherein the water-soluble anionic surfactant is C<sub>8-14</sub> fatty alcohol sulfate.

14. The composition of claim 8 wherein the water-soluble anionic surfactant is present in the composition in an amount of from about 1 to about 2% by weight, based on the weight of the composition.
15. The composition of claim 8 wherein the primary solvent is a C<sub>8</sub>-C<sub>10</sub> methyl ester.
16. The composition of claim 8 wherein the primary solvent is present in the composition in an amount of from about 40 to about 50% by weight, based on the weight of the composition.
17. The composition of claim 8 wherein the short-chain cosurfactant is selected from the group consisting of C<sub>3</sub>-C<sub>6</sub> alcohols, glycols, glycol ethers, pyrrolidones, glycol ether esters, and mixtures thereof.
18. The composition of claim 8 wherein the short-chain cosurfactant is propylene glycol n-butyl ether.
19. The composition of claim 8 wherein the short-chain cosurfactant is present in the composition in an amount of from about 8 to about 10% by weight, based on the weight of the composition.
20. The composition of claim 8 wherein the composition has a pH value of less than about 9.
21. The composition of claim 8 wherein the composition has a thermal stability ranging from about 10 to about 70°C.
22. The composition of claim 8 wherein the primary solvent and water are present in the composition in a ratio by weight ranging from about 50:1 to about 1:4.

23. The composition of claim 8 wherein the primary solvent and water are present in the composition in a ratio by weight of about 1.5:1.
24. The composition of claim 8 further comprising a cyclic ketone.
25. The composition of claim 24 wherein the cyclic ketone is cyclohexanone.
26. The composition of claim 24 wherein the cyclic ketone is present in the composition in an amount of from about 1 to about 35% by weight, based on the weight of the composition.
27. The composition of claim 24 wherein the cyclic ketone is present in the composition in an amount of from about 10 to about 20% by weight, based on the weight of the composition.
28. The composition of claim 24 wherein the primary solvent and cyclic ketone are present in the composition in a ratio by weight of from about 10:1 to about 1:10.
29. The composition of claim 24 wherein the primary solvent and cyclic ketone are present in the composition in ratio by weight of about 2:1.
30. A terpene-free cleaning composition comprising:
- (a) from about 6 to about 8% by weight of an isopropylamine salt of dodecylbenzenesulfonic acid.
  - (b) from about 1 to about 2% by weight of a C<sub>12-14</sub> fatty alcohol sulfate;
  - (c) from about 40 to about 50% by weight of a primary solvent consisting of a C<sub>8</sub>-C<sub>10</sub> methyl ester;



(d) from about 8 to about 10% by weight of a propylene glycol n-butyl ether and

(e) remainder, water, all weights being based on the total weight of the composition, and wherein the primary solvent and water are present in the composition in a ratio by weight of about 1.5:1.

31. The composition of claim 30 further comprising from about 1 to about 35% by weight of a cyclic ketone.

32. The composition of claim 31 wherein the cyclic ketone is cyclohexanone.

33. A process for cleaning a hard surface comprising contacting the surface with a cleaning-effective amount of a terpene-free cleaning composition containing:

(a) from about 2 to about 12% by weight of an oil-soluble anionic surfactant;

(b) from about 0.2 to about 6% by weight of a water-soluble anionic surfactant;

(c) from about 3 to about 96% by weight of a primary solvent consisting of a C<sub>1-4</sub> alkyl ester of a C<sub>6-22</sub> saturated or unsaturated carboxylic acid;

(d) from about 2 to about 14% by weight of a short-chain cosurfactant; and

(e) remainder, water, all weights being based on the total weight of the composition.

34. The process of claim 33 wherein the oil-soluble anionic surfactant is selected from the group consisting of amine salts of dodecylbenzenesulfonic acid, calcium salts of dodecylbenzenesulfonic acid, phosphate esters, and mixtures thereof.
35. The process of claim 33 wherein the oil-soluble anionic surfactant is the isopropylamine salt of dodecylbenzenesulfonic acid.
36. The process of claim 33 wherein the oil-soluble anionic surfactant is present in the composition in an amount of from about 6 to about 8% by weight, based on the weight of the composition.
37. The process of claim 33 wherein the water-soluble anionic surfactant is selected from the group consisting of alkali metal salts of fatty acids, organic base salts of fatty acids, alkyl sulfates, alkyl ether sulfates, alkyl aromatic sulfonates, alkyl sulfonates, alpha olefin sulfonates, sulfosuccinates, and mixtures thereof.
38. The process of claim 33 wherein the water-soluble anionic surfactant is a C12-C14 fatty alcohol sulfate.
39. The process of claim 33 wherein the water-soluble anionic surfactant is present in the composition in an amount of from about 1 to about 2% by weight, based on the weight of the composition.
40. The process of claim 33 wherein the primary solvent is a C<sub>8</sub>-C<sub>10</sub> methyl ester.

41. The process of claim 33 wherein the primary solvent is present in the composition in an amount of from about 40 to about 50% by weight, based on the weight of the composition.
42. The process of claim 33 wherein the short-chain cosurfactant is selected from the group consisting of C<sub>3</sub>-C<sub>6</sub> alcohols, glycols, glycol ethers, pyrrolidones, glycol ether esters, and mixtures thereof.
43. The process of claim 33 wherein the short-chain cosurfactant is propylene glycol n-butyl ether.
44. The process of claim 33 wherein the short-chain cosurfactant is present in the composition in an amount of from about 8 to about 10% by weight, based on the weight of the composition.
45. The process of claim 33 wherein the composition has a pH value of less than about 9.
46. The process of claim 33 wherein the composition has a thermal stability ranging from about 10 to about 70°C.
47. The process of claim 33 wherein the primary solvent and water are present in the composition in a ratio by weight ranging from about 50:1 to about 1:4.
48. The process of claim 33 wherein the primary solvent and water are present in the composition in a ratio by weight of about 1.5:1.
49. The process of claim 33 wherein the terpene-free cleaning composition further comprises from about 1 to about 35% by weight of a cyclic ketone.
50. The process of claim 49 wherein the cyclic ketone is cyclohexanone.

51. The composition of claim 8 further comprising a thickening agent.
52. The composition of claim 51 wherein the thickening agent is tetraalkyl ammonium bentonite.
53. The process of claim 33 wherein the cleaning composition further contains a thickening agent.
54. The process of claim 53 wherein the thickening agent is tetraalkyl ammonium bentonite.

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/24987

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C09D 9/00, 9/04

US CL : 510/201; 134/38

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 510/201; 134/38

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

INDUSTRIAL SOLVENTS HANDBOOK - ERNEST W. FLICK

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

BRS, USPATFUL, CAPLUS, JAPIO, DERWENT

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,011,621 A (SULLIVAN et al) 30 April 1991, col. 4, lines 5-66.	1-40N
A	US 4,968,447 A (DIXON et al) 06 November 1990, col. 7, lines 1-34.	1-40
A,E	US 6,150,282 A (RATH et al) 21 November 2000, col. 3, lines 29-44.	1-40

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents.	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

11 DECEMBER 2000

Date of mailing of the international search report

17 JAN 2001

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

GREGORY E. WEBB

Telephone No. (703) 308-0651

Form PCT/ISA/210 (second sheet) (July 1998) \*

# PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

## PCT

### NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL SEARCH REPORT OR THE DECLARATION

(PCT Rule 44.1)

To: STEVEN J. TRZASKA  
COGNIS CORPORATION  
2500 RENAISSANCE BOULEVARD  
SUITE 200  
GULPH MILLS, PA 19406

Date of Mailing  
(day/month/year) **17 JAN 2001**

Applicant's or agent's file reference  
M6636CC/CSAP

FOR FURTHER ACTION See paragraphs 1 and 4 below

International application No.  
PCT/US00/24987

International filing date  
(day/month/year)  
11 SEPTEMBER 2000

Applicant  
COGNIS CORPORATION

1. ☒ The applicant is hereby notified that the international search report has been established and is transmitted herewith.
- Filing of amendments and statement under Article 19:**  
The applicant is entitled, if he so wishes, to amend the claims of the international application (see Rule 46):
- When?** The time limit for filing such amendments is normally 2 months from the date of transmittal of the international search report; however, for more details, see the notes on the accompanying sheet.
- Where?** Directly to the International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland  
Facsimile No.: (41-22) 740.14.35
- For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no international search report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:
- ☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.
- ☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:
- Shortly after 18 months from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in rules 90 bis 1 and 90 bis 3, respectively, before the completion of the technical preparations for international publication.
- Within 19 months from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).
- Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

GREGORY E. WEBB

Telephone No. (703) 308-0651

Form PCT/ISA/220 (July 1998) \*

(See notes on accompanying sheet)

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference M6636CC/CSAP	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/US00/24987	International filing date (day/month/year) 11 SEPTEMBER 2000	(Earliest) Priority Date (day/month/year) 22 SEPTEMBER 1999
Applicant COGNIS CORPORATION		

This international search report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This international search report consists of a total of 2 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

## 1. Basis of the report

- a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.
- ☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).
- b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing:
- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.
2. ☐ Certain claims were found unsearchable (See Box I).
3. ☐ Unity of invention is lacking (See Box II).
4. With regard to the title,
- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established by this Authority to read as follows:
5. With regard to the abstract,
- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.
6. The figure of the drawings to be published with the abstract is Figure No. \_\_\_\_\_
- ☐ as suggested by the applicant. ☐ None of the figures.
- ☐ because the applicant failed to suggest a figure.
- ☐ because this figure better characterizes the invention.

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) : C09D 9/00, 9/04

US CL : 510/201; 134/38

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 510/201; 134/38

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

INDUSTRIAL SOLVENTS HANDBOOK - ERNEST W. FLICK

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

BRS, USPATFUL, CAPLUS, JAPIO, DERWENT

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,011,621 A (SULLIVAN et al) 30 April 1991, col. 4, lines 5-66.	1-40N
A	US 4,968,447 A (DIXON et al) 06 November 1990, col. 7, lines 1-34.	1-40
A,E	US 6,150,282 A (RATH et al) 21 November 2000, col. 3, lines 29-44.	1-40



Further documents are listed in the continuation of Box C.



See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\*

document member of the same patent family

Date of the actual completion of the international search

11 DECEMBER 2000

Date of mailing of the international search report

17 JAN 2001

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

GREGORY E. WEBB

Telephone No. (703) 308-0651